

Tyrone Camarero Specifications

Tyrone

Camerero: ADI100A3N-14

Key Feature

- 3rd Gen Intel® Xeon® Scalable Processors (Ice Lake), Supports CPU TDP up to 270W
- Intel® C621A Chipset
- Supports 16 DDR4 DIMM slots
- 2 x PCIe Gen4 x16 slots (1 x FHHL & 1 x HHHL) + 1 x OCP V3.0
- Onboard Baseboard Management Controller for system management and IPMI control
- 1 x 4-port SATA/SAS/NVMe backplane with 1 x SFF-8643 + 2 x SFF-8654
- 10 x SATA 6.0 Gb/s
- 1 x GbE RJ45 dedicated to BMC management
- 4 x 3.5"/2.5" hot-swap (SAS/SATA/NVMe), M.2 : 2 x M.2
- 6 x 40x56mm easy swap fans, 1 x 40x28mm fan
- 750W/1100W 1+1 redundant power supply 80+ Platinum



Processor/Cache	Front Panel
Processor 3rd Gen Intel® Xeon® Scalable Processors (Ice Lake), Supports CPU TDP up to 270W	Ports 1 x VGA DB15, 1 x external COM port phone jack, 2 x USB 3.0 double-stack Type A connectors
Chipset	LEDs Power status,HDD activity,LAN activity, Warning, System ID
Chipset Intel C621A chipset	Drive bays
System Memory	HDD Bays 4 x 3.5"/2.5" hot-swap (SAS/SATA/NVMe), M.2 : 2 x M.2
Memory Capacity Supports 16 DDR4 DIMM slots	Power Supply
Expansion Slot	Power Supply 750W/1100W 1+1 redundant power supply 80+ Platinum
PCI-Express 2 x PCIe Gen4 x16 slots (1 x FHHL & 1 x HHHL) + 1 x OCP V3.0	Cooling System
Integrated Onboard:	6 x 40x56mm easy swap fans, 1 x 40x28mm fan
SATA 10 x SATA 6.0 Gb/s	Form Factor
LAN 1 x GbE RJ45 dedicated to BMC management	Form Factor 1U Rackmount
Add-on Options	Dimensions
Raid Card Optional	Dimensions (W x D x H) : 615 x 1025 x 274
Optical Drive None	Email : Info@tyronesystems.com For more/current product information, Visit www.tyronesystems.com