

Tyrone Camarero Specifications

Tyrone

Camerero: SDA100F0R-48

Key Feature

- Dual AMD EPYC™ 7003/7002 Series Processors (The latest AMD EPYC™ 7003 Series Processor with AMD 3D V-Cache™ Technology requires BIOS version 2.3 or newer)
- 4TB Registered ECC DDR4 3200MHz SDRAM in 16 DIMMs
- "3 PCI-E 4.0 x16 slots, 3 PCI-E 4.0 x8 slots ,M.2 Interface: 1 PCI-E 4.0 x4, M.2 Form Factor: 2280, 22110"
- 10 SATA3, 2 SATADOM, 4 NVMe
- Dual 10GBase-T LAN ports, 1 dedicated IPMI LAN Port
- ASPEED AST2600 BMC graphics
- 2 USB 2.0 ports (rear), 4 USB 3.0 ports (2 rear, 2 headers)
- 8x 4-pin PWM Fans & Speed control
- Support 8 x 3.5"/2.5"(SATA)+2x 2.5"(SSD) Fix disks
- Support Single width 4 GPUs and Dual Width 2GPUs
- Cabinet with 3 x 2500 Mid Fan, 1 x Rear Fan
Optional : Liquid cooling system
- FSP 1200W Single/Redundant Power Supply



Processor/Cache		Add-on Options	
Processor	Dual AMD EPYC™ 7003/7002 Series Processors (The latest AMD EPYC™ 7003 Series Processor with AMD 3D V-Cache™ Technology requires BIOS version 2.3 or newer)	Raid Card	Optional
Chipset		Optical Drive	Optional
Chipset	System on Chip	Drive bays	
System Memory		Drive bays	Support 8 x 3.5"/2.5"(SATA)+2x 2.5"(SSD) Fix disks
Memory Capacity	4TB Registered ECC DDR4 3200MHz SDRAM in 16 DIMMs	Power Supply	
Expansion Slot		Power Supply	FSP 1200W Single/Redundant Power Supply
PCI-Express	"3 PCI-E 4.0 x16 slots, 3 PCI-E 4.0 x8 slots ,M.2 Interface: 1 PCI-E 4.0 x4, M.2 Form Factor: 2280, 22110"	Cooling System	
Integrated Onboard:		Cooling System	Cabinet with 3 x 2500 Mid Fan, 1 x Rear Fan Optional : Liquid cooling system
SATA	10 SATA3 (6 Gbps) ports	Form Factor	
LAN	2x 10GBase-T LAN ports/2x 1GbE LAN ports, 1 RJ45 Dedicated IPMI LAN port	Form Factor	4U Rackmount
USB	2 USB 2.0 ports (rear), 4 USB 3.0 ports (2 rear, 2 headers)		
IPMI	Support for Intelligent Platform Management Interface v. 2.0, IPMI 2.0 with virtual media over LAN and KVM-over-LAN support ASPEED AST2600 BMC		
			Email : Info@tyronesystems.com For more/current product information, Visit www.tyronesystems.com