## **Tyrone Camarero Specifications**

# Camarero SS400TR-48 Key features

- Single socket H4 (LGA 1151) supports Intel® Xeon® processor E3-1200 v5, Intel® 7th/6th Gen. Core™ i3 series, Intel® Celeron® and Intel® Pentium®
- Intel® C232 chipset
- Up to 64GB Unbuffered ECC/non-ECC UDIMM DDR4 2400MHz; 4 DIMM slots
- 1 PCI-E 3.0 x8 (in x16), 1 PCI-E 3.0 x8,1 PCI-E 3.0 x4 (in x8)
- . Dual GbE LAN with Intel ® i210-AT
- 6 SATA3 (6Gbps) via C232; RAID 0, 1, 5, 10
- . I/O: 1 VGA, 1 COM, TPM header
- · 2 SuperDOM with built-in power
- 5 USB 3.0 (2 rear, 2 via header(s), 1 Type A), 6 USB 2.0 (2 rear, 4 via header(s),
- Integrated IPMI 2.0 and KVM with Dedicated LAN
- 3x 5.25\* External HDD Drive Bays & 8x 3.5\* Hot-Swappable HDD Drives
- 4 x 5000 RPM Hot-swap PWM Cooling Fans
- · 500W Bronze Level Certified High-Efficiency Power Supply







#### Processor/Cache

Processor Single socket H4 (LGA 1151) supports

Intel® Xeon® processor E3-1200 v5, Intel® 7th/6th Gen. Core™ i3 series, Intel® Celeron® and Intel® Pentium®

## Chipset

Chipset Intel® C232 chipset

## System Memory

Memory Capacity Up to 64GB Unbuffered ECC UDIMM

DDR4 2400MHz; 4 DIMM slots

#### **Expansion Slots**

PCI Express 1 PCI-E 3.0 x8 (in x16), 1 PCI-E 3.0 x8,

1 PCI-E 3.0 x4 (in x8)

#### Integrated On-Board

SATA Intel® C232 controller for 6 SATA3

(6 Gbps) ports; RAID 0,1,5,10

LAN Dual LAN with Intel® Ethernet

Controller I210-AT

#### **Add-on Options**

Raid Optional

Optical Drive Optional

## Front Panel

LED 2 Network Activity LEDs, Fan Fail/System

Over Heat LED, HDD activity LED,

Power Status LED, Unit Identification (UID)

LED

Buttons Power On/Off button, System Reset button

## **Drive Bays**

HDD Bays 8 x 3.5" hot-swap SAS/SATA drive bay with

SES2

Peripheral Drives 3 x standard 5.25" drive bay

#### Power Supply

500W Bronze Level Certified High-Efficiency Power Supply

## **Cooling System**

4 x 5000 RPM Hot-swap PWM Cooling Fans

#### **Form Factor**

Form Factor 4U Rackmount

Width: 7" (178 mm) , Height: 17.8" (452 mm), Depth: 25.5" (647 mm)

Email: info@tyronesystems.com For more/current product information, visit

www.tyronesystems.com

O Intel, the Intel logo, the Intel Inside logo, Xeon, and Intel Xeon Phi are trademarks of intel Corporation in the U.S and/Or other Countries

Specifications subject to change without notice. Picture used for representation purpose only and the actual product may differ in looks. All other brands and names are the property of their respective owners