Tyrone Camarero Specifications



Camerero: SSI20C3R-12

Kev Feature

1U short-depth server with up to 3 internal 2.5" SATA bays and 1 PCle 5.0 x16 slot General Purpose, Entry Appliance, Front-end, Web Hosting

- Single Socket V0 (LGA-1700) supports Intel[®] Xeon[®] E-2400 series, Intel[®] Pentium® processors
- 4 DIMMs; Up to 128GB of DDR5 ECC UDIMM memory with speeds of up to 4400MHz
- 1 PCIe 5.0 x16 (FHHL)
- Intel® Ethernet Controller i210 2x 1GbE RJ45
- Default: Total 1 bay(s): 1 internal fixed 3.5"" SATA drive bay(s) Option A: Total 2 bay(s):2 internal fixed 3.5" SATA* drive bay(s) Option B: Total 3 bay(s):3 internal fixed 2.5" SATA* drive bay(s)
- Single Platinum 350W Power Supply





Processor/	Cac	ne
------------	-----	----

Single processor(s) **Processor**

Intel® Xeon® E-2400 series Processors and

12th Gen. Pentium® Processors

Chipset

Chipset Intel® C266

System Memory

Memory Capacity

4 DIMM slots/2 Channels, Max Memory (2DPC): Up to 128GB 4400MT/s ECC DDR5 UDIMM

Expansion Slot

1 PCle 5.0 x16 FHHL slot(s) **PCI-Express**

Integrated Onboard:

SATA SATA (6Gbps); RAID 0/1/5/10 support

2 RJ45 1 GbE LAN port(s), 1 RJ45 1 GbE LAN

Dedicated BMC LAN port(s) (IPMI shared

on LAN port 1)

Add-on Options

Raid Card Optional

Optical

None

Drive

Front Panel

LED Fan Fail/System Over Heat LED, HDD

activity LED, Network Activity LEDs,

Power status LED

Buttons Power On/Off button, System Reset

button

Drive bays

HDD Bays Default: Total 1 bay(s): 1 internal fixed

3.5"" SATA drive bay(s)

Option A: Total 2 bay(s):2 internal fixed

3.5" SATA* drive bay(s)

Option B: Total 3 bay(s):3 internal fixed

2.5"" SATA* drive bay(s)

Power Supply

Power Supply Default single Titanium 600W Power

Supply; Optional redundant power by

adding 1x Power Supply Module

Cooling System

2 counter-rotation PWM 40x40x56mm Fan(s)

Form Factor

Form Factor 1U Rackmount

Dimensions

Dimensions Height 1.7" (43mm), Width 17.2"

(437mm), Depth 14.5" (368 mm)

Email: Info@tyronesystems.com For more/current product information, Visit www.tyronesystems.com

Intel, the Intel logo, the Intel Inside logo, Xeon, and Intel Xeon Phi are trademarks of Intel Corporation in the U.S and/Or other Countries

Specifications subject to change without notice. Picture used for representation purpose only and the actual product may differ in looks. All other brands and names are the properties of their respective owners