

# Tyrone Camarero Specifications

# Tyrone

## Camerero: SSI300F0R-36

### Key Feature

UP mid-tower workstation for 3D design and content creation  
Designed for CAD and 3D Modeling Applications, 2D/3D Content Creation, VR Content Development

- Intel® Core™ Ultra 9/7/5 Processors up to 125W with air cooling or optional liquid cooling
- Supports for up to 1 double-width or triple-width GPU
- Supporting up to 192GB DDR5-5600
- 1 HDMI 2.1\*, 1 DP 2.1\*\*, 1 Thunderbolt™ 4.0 Type-C\* \*Supports data rates of up to 10 Gbps
- 2 PCIe NVMe M.2 and 2 PCIe 4.0 NVMe U.2
- 1 RJ45 2.5GbE + 1 RJ45 1GbE (AMT/vPro)
- 1x 1000W Gold Level (90%) power supply



Processor/Cache		Front Panel	
Processor	Single LGA-1851, Intel® Core™ Ultra 9/7/5 (Series 2) processors	Ports	Audio Jack-Combo microphone input / audio output port, USB Type-A Ports-USB 3.2 Gen 1 ports (5G), USB Type-C-USB 3.2 Gen 2 port (20G)
GPU		USB	2 USB 3.2 Gen1 Type-A ports(front), 3 USB 3.2 Gen2 Type-A ports(Rear), 1 USB 3.2 Gen2 Type-C port(Rear), 1 USB 3.2 Gen2 Type-C port(Front) 1 Thunderbolt™ 4 Type-C port(Rear)
GPU	Up to 1 triple-width or 1 double-width GPU	Video	1 HDMI 2.1 port(Rear), 1 DisplayPort 2.1 port(Rear)
System Memory		TPM	1 TPM Onboard TPM & TPM Header
Memory Capacity	4 DIMM slots, Max Memory (2DPC): Up to 192GB 6400MT/s ECC/non-ECC DDR5 UDIMM	Drive bays	
Chipset		HDD Bays	<b>Total 6 bays</b> : 2 internal fixed 3.5"/2.5" SATA drive bays, 4 internal fixed 2.5" SATA drive bays <b>M.2</b> : 1 M.2 PCIe 4.0 x4 NVMe slot, 1 M.2 PCIe 5.0 x4 NVMe slot
PCI-Express	Intel® W880	Power Supply	
Expansion Slots		Power Supply	1x 1000W Gold Level (90%) power supply
Expansion Slots	2 PCIe 5.0 x8 (in x16) FHFL slots, 1 PCIe 4.0 x4 (in x4) FHHL slot	Cooling System	
Integrated Onboard		4x 120mm Fan(s)	
SATA	SATA (6Gbps) via Intel® W880; RAID 0/1/5/10 support	Form Factor	
Network Connectivity	1 RJ45 1GbE with Intel® I219-LM, 1 RJ45 2.5GbE with Intel® I226-LM	Form Factor	Mid-Tower
Add-on Options		Dimensions	
Raid Card	Optional	Dimensions	Height : 17.72" (450 mm), Width : 8.07" (205 mm), Depth : 18.5" (470 mm)
Optical Drive	None	Email : <a href="mailto:Info@tyronesystems.com">Info@tyronesystems.com</a> For more/current product information, Visit <a href="http://www.tyronesystems.com">www.tyronesystems.com</a>	